INDEX TO AUTHORS

A

ADAMS, WILLIAM B. Intensity characteristics of the noctuid acoustic receptor, 562

ALBUQUERQUE, EDSON X. See NARAHASHI, ALBUQUERQUE, and DEGUCHI, 54

ALONSO, G. L., BAZERQUE, P. M., ARRIGÓ, D. M., and TUMILASCI, O. R. Adenosine triphosphate–dependent calcium uptake by rat submaxillary gland microsomes, 340

ANDERSON, NELS C., RAMON, FIDEL, and SNYDER, ANN. Studies on calcium and sodium in uterine smooth muscle excitation under current-clamp and voltage-clamp conditions, 322

ARMSTRONG, CLAY M. Interaction of tetraethylammonium ion derivatives with the potassium channels of giant axons, 413

ARRIGÓ, D. M. See ALONSO, BAZERQUE, ARRIGÓ, and TUMILASCI, 340

B

BAZERQUE, P. M. See ALONSO, BAZERQUE, ARRIGÓ, and TUMILASCI, 340

BEHBEHANI, MAHMOOD. See SREBRO and BEHBEHANI, 267

BENNETT, M. V. L. See STEINBACH and BENNETT, 580

BIBER, THOMAS U. L. Effect of changes in transepithelial transport on the uptake of sodium across the outer surface of the frog skin, 131

BIEDERMAN-THORSON, MARGUERITE, and THORSON, JOHN. Dynamics of excitation and inhibition in the light-adapted *Limulus* eye *in situ*, 1

BOWNDS, DERIC, GORDON-WALKER, ANN, GAIDE-HUGUENIN, ANNE-CLAUDE, and ROBINSON, WILLIAM. Characterization and analysis of frog photoreceptor membranes, 225

BROWN, J. E. See LISMAN and BROWN, 544

C

CARLSON, FRANCIS D. See MITTENTHAL and CARLSON, 20

COSTANTIN, L. L. Biphasic potassium contractures in frog muscle fibers, 117

—. See EISENBERG and COSTANTIN, 700

D

DEGUCHI, TAKEHIKO. See NARAHASHI, ALBUQUERQUE, and DEGUCHI, 54

DOWLING, JOHN E., and RIPPS, HARRIS. S-potentials in the skate retina. Intracellular recordings during light and dark adaptation, 163

DUNHAM, PHILIP B., and HOFFMAN, JOSEPH F. Active cation transport and ouabain binding in high potassium and low potassium red blood cells of sheep, 94

E

EISENBERG, R. S., and COSTANTIN, L. L. The radial variation of potential in the transverse tubular system of skeletal muscle, 700

EISENMAN, G. See MCLAUGHLIN, SZABO, and EISENMAN, 667

F

FOZZARD, H. A. See GIBBONS and FOZZARD, 483

G

GAIDE-HUGUENIN, ANNE-CLAUDE. See BOWNDS, GORDON-WALKER, GAIDE-HUGUENIN, and ROBINSON, 225

GARY-BOBO, C. M. See SHA'AFI, GARY-BOBO, and SOLOMON, 238

GERSHFELD, N. L., and MURAMATSU, M. The interaction between steroid hormones and lipid monolayers on water, 650

GIBBONS, W. R., and FOZZARD, H. A. High potassium and low sodium contractures in sheep cardiac muscle, 483

GORDON-WALKER, ANN. See BOWNDS, GORDON-WALKER, GAIDE-HUGUENIN, and ROBINSON, 225

GUTTMAN, RITA, and HACHMEISTER, LON. Effect of calcium, temperature, and polarizing currents upon alternating

INDEX TO AUTHORS

A

ADAMS, WILLIAM B. Intensity characteristics of the noctuid acoustic receptor, 562

ALBUQUERQUE, EDSON X. See NARAHASHI, ALBUQUERQUE, and DEGUCHI, 54

ALONSO, G. L., BAZERQUE, P. M., ARRIGÓ, D. M., and TUMILASCI, O. R. Adenosine triphosphate–dependent calcium uptake by rat submaxillary gland microsomes, 340

ANDERSON, NELS C., RAMON, FIDEL, and SNYDER, ANN. Studies on calcium and sodium in uterine smooth muscle excitation under current-clamp and voltage-clamp conditions, 322

ARMSTRONG, CLAY M. Interaction of tetraethylammonium ion derivatives with the potassium channels of giant axons, 413

ARRIGÓ, D. M. See ALONSO, BAZERQUE, ARRIGÓ, and TUMILASCI, 340

B

BAZERQUE, P. M. See ALONSO, BAZERQUE, ARRIGÓ, and TUMILASCI, 340

BEHBEHANI, MAHMOOD. See SREBRO and BEHBEHANI, 267

BENNETT, M. V. L. See STEINBACH and BENNETT, 580

BIBER, THOMAS U. L. Effect of changes in transepithelial transport on the uptake of sodium across the outer surface of the frog skin, 131

BIEDERMAN-THORSON, MARGUERITE, and THORSON, JOHN. Dynamics of excitation and inhibition in the light-adapted *Limulus* eye *in situ*, 1

BOWNDS, DERIC, GORDON-WALKER, ANN, GAIDE-HUGUENIN, ANNE-CLAUDE, and ROBINSON, WILLIAM. Characterization and analysis of frog photoreceptor membranes, 225

BROWN, J. E. See LISMAN and BROWN, 544

C

CARLSON, FRANCIS D. See MITTENTHAL and CARLSON, 20

COSTANTIN, L. L. Biphasic potassium contractures in frog muscle fibers, 117

—. See EISENBERG and COSTANTIN, 700

D

DEGUCHI, TAKEHIKO. See NARAHASHI, ALBUQUERQUE, and DEGUCHI, 54

DOWLING, JOHN E., and RIPPS, HARRIS. S-potentials in the skate retina. Intracellular recordings during light and dark adaptation, 163

DUNHAM, PHILIP B., and HOFFMAN, JOSEPH F. Active cation transport and ouabain binding in high potassium and low potassium red blood cells of sheep, 94

E

EISENBERG, R. S., and COSTANTIN, L. L. The radial variation of potential in the transverse tubular system of skeletal muscle, 700

EISENMAN, G. See MCLAUGHLIN, SZABO, and EISENMAN, 667

F

FOZZARD, H. A. See GIBBONS and FOZZARD, 483

G

GAIDE-HUGUENIN, ANNE-CLAUDE. See BOWNDS, GORDON-WALKER, GAIDE-HUGUENIN, and ROBINSON, 225

GARY-BOBO, C. M. See SHA'AFI, GARY-BOBO, and SOLOMON, 238

GERSHFELD, N. L., and MURAMATSU, M. The interaction between steroid hormones and lipid monolayers on water, 650

GIBBONS, W. R., and FOZZARD, H. A. High potassium and low sodium contractures in sheep cardiac muscle, 483

GORDON-WALKER, ANN. See BOWNDS, GORDON-WALKER, GAIDE-HUGUENIN, and ROBINSON, 225

GUTTMAN, RITA, and HACHMEISTER, LON. Effect of calcium, temperature, and polarizing currents upon alternating

current excitation of space-clamped squid axons, 304

H

HACHMEISTER, LON. See GUTTMAN and HACHMEISTER, 304
HILLE, BERTIL. The permeability of the sodium channel to organic cations in myelinated nerve, 599
HOFFMAN, JOSEPH F. See DUNHAM and HOFFMAN, 94
HOFFMAN, P. G., and TOSTESON, D. C. Active sodium and potassium transport in high potassium and low potassium sheep red cells, 438

K

KIMZEY, S. L., and WILLIS, J. S. Resistance of erythrocytes of hibernating mammals to loss of potassium during hibernation and during cold storage, 620
— and —. Temperature adaptation of active sodium-potassium transport and of passive permeability in erythrocytes of ground squirrels, 634
KNAUF, PHILIP A., and ROTHSTEIN, ASER. Chemical modification of membranes. I. Effects of sulfhydryl and amino reactive reagents on anion and cation permeability of the human red blood cell, 190
— and —. II. Permeation paths for sulfhydryl agents, 211
KREGENOW, FLOYD M. The response of duck erythrocytes to hypertonic media. Further evidence for a volume-controlling mechanism, 396
—. The response of duck erythrocytes to nonhemolytic hypotonic media. Evidence for a volume-controlling mechanism, 372

L

LÄNNERGREN, J. The effect of low-level activation on the mechanical properties of isolated frog muscle fibers, 145
LISMAN, J. E., and BROWN, J. E. Two light-induced processes in the photoreceptor cells of *Limulus* ventral eye, 544

M

MCLAUGHLIN, S. G. A., SZABO, G., and EISENMAN, G. Divalent ions and the surface potential of charged phospholipid membranes, 667
MITTENTHAL, JAY E., and CARLSON, FRANCIS D. Transient phases of the isometric tetanus in frog's striated muscle, 20
MURAMATSU, M. See GERSHFELD and MURAMATSU, 650

N

NARAHASHI, TOSHIO, ALBUQUERQUE, EDSON X., and DEGUCHI, TAKEHIKO. Effects of batrachotoxin on membrane potential and conductance of squid giant axons, 54
NEHER, ERWIN. Two fast transient current components during voltage clamp on snail neurons, 36

O

OZEKI, MASAHIRO. Conductance change associated with receptor potentials of gustatory cells in rat, 688

R

RAMON, FIDEL. See ANDERSON, RAMON, and SNYDER, 322
REUTER, TOM E., WHITE, RICHARD H., and WALD, GEORGE. Rhodopsin and porphyropsin fields in the adult bullfrog retina, 351
RIPPS, HARRIS. See DOWLING and RIPPS, 163
ROBBINS, NORMAN, and YONEZAWA, TAKESHI. Physiological studies during formation and development of rat neuromuscular junctions in tissue culture, 467
ROBINSON, WILLIAM. See BOWNDS, GORDON-WALKER, GAIDE-HUGUENIN, and ROBINSON, 225
ROTHSTEIN, ASER. See KNAUF and ROTHSTEIN, 190, 211

S

SAVITZ, DAVID, and SOLOMON, A. K. Tracer determinations of human red cell membrane permeability to small nonelectrolytes, 259
SHA'AFI, R. I., GARY-BOBO, C. M., and SOLOMON, A. K. Permeability of red cell membranes to small hydrophilic and lipophilic solutes, 238

SNYDER, ANN. See ANDERSON, RAMON, and SNYDER, 322
SOLOMON, A. K. See SAVITZ and SOLOMON, 259
—. See SHA'AFI, GARY-BOBO, and SOLOMON, 238
SORENSON, A. L. Water permeability of isolated muscle fibers of a marine crab, 287
SREBRO, RICHARD, and BEHBEHANI, MAHMOOD. A stochastic model for discrete waves in the *Limulus* photoreceptor, 267
STEINBACH, A. B., and BENNETT, M. V. L. Effects of divalent ions and drugs on synaptic transmission in phasic electroreceptors in a mormyrid fish, 580
SZABO, G. See MCLAUGHLIN, SZABO, and EISENMAN, 667

T

TARR, MERRILL. Two inward currents in frog atrial muscle, 523
— and TRANK, JOHN. Equivalent circuit of frog atrial tissue as determined by voltage clamp-unclamp experiments, 511
THORSON, JOHN. See BIEDERMAN-THORSON and THORSON, 1
TOSTESON, D. C. See HOFFMAN and TOSTESON, 438
TRANK, JOHN. See TARR and TRANK, 511
TUMILASCI, O. R. See ALONSO, BAZERQUE, ARRIGÓ, and TUMILASCI, 340

W

WALD, GEORGE. See REUTER, WHITE, and WALD, 351
WHITE, RICHARD H. See REUTER, WHITE, and WALD, 351
WILLIS, J. S. See KIMZEY and WILLIS, 620, 634
WINEGRAD, SAUL. Studies of cardiac muscle with a high permeability to calcium produced by treatment with ethylenediaminetetraacetic acid, 71

Y

YONEZAWA, TAKESHI. See ROBBINS and YONEZAWA, 467

INDEX TO SUBJECTS

A

Abstracts of papers presented at the Twenty-Fifth Annual Meeting of the Society of General Physiologists, 705

Acetic acid, ethylenediaminetetra-, cardiac muscle with a high permeability to calcium produced by treatment with, 71

Acid, ethylenediaminetetraacetic, cardiac muscle with a high permeability to calcium produced by treatment with, 71

Acoustic receptor, noctuid, intensity characteristics of, 562

Adaptation, light and dark, intracellular recordings of S-potentials during in skate retina, 163

—, temperature, of active sodium-potassium transport and of passive permeability in erythrocytes of ground squirrels, 634

Adenosine triphosphate–dependent calcium uptake by rat submaxillary gland microsomes, 340

Amino reactive and sulfhydryl reagents, effects of on anion and cation permeability of human red blood cell, 190

Ammonium, tetraethyl-, ion derivatives, interaction with potassium channels of giant axons, 413

Atrial muscle, frog, two inward currents in, 523

— tissue, frog, equivalent circuit of, as determined by voltage clamp-unclamp experiments, 511

Axons, giant, interaction of tetraethylammonium ion derivatives with potassium channels of, 413

—, space-clamped squid, effect of calcium, temperature, and polarizing currents upon alternating current excitation of, 304

—, squid giant, effects of batrachotoxin on membrane potential and conductance of, 54

B

Batrachotoxin, effects on membrane potential and conductance of squid giant axons, 54

Blood cells, red. *See* Erythrocytes.

Bullfrog, adult retina, rhodopsin and porphyropsin fields in, 351

C

Calcium, high permeability to, produced by treatment with ethylenediaminetetraacetic acid, in cardiac muscle, 71

— and sodium in uterine smooth muscle excitation under current-clamp and voltage-clamp conditions, 322

—, temperature, and polarizing currents, effect upon alternating current excitation of space-clamped squid axons, 304

— uptake, adenosine triphosphate–dependent, by rat submaxillary gland microsomes, 340

Cardiac muscle with high permeability to calcium produced by treatment with ethylenediaminetetraacetic acid, 71

—, sheep, high potassium and low sodium contractures in, 483

Cells, gustatory, in rat, conductance change associated with receptor potentials of, 688

—, photoreceptor, of *Limulus* ventral eye, two light-induced processes in, 544

—, red blood. *See* Erythrocytes.

Cellular, intracellular, recordings of S-potentials during light and dark adaptation in skate retina, 163

Circuit, equivalent, of frog atrial tissue as determined by voltage clamp-unclamp experiments, 511

Cold storage, resistance of erythrocytes of hibernating mammals to loss of potassium during hibernation and during, 620

Conductance change associated with receptor potentials of gustatory cells in rat, 688

— and membrane potential of squid giant axons, effects of batrachotoxin on, 54

Contractures, biphasic potassium, in frog muscle fibers, 117

—, high potassium and low sodium, in sheep cardiac muscle, 483

Crab, marine, water permeability of isolated muscle fibers of, 287
Current-clamp and voltage-clamp conditions, calcium and sodium in uterine smooth muscle excitation under, 322

D

Diaminetetraacetic acid, ethylene-, cardiac muscle with a high permeability to calcium produced by treatment with, 71
Divalent ions and surface potential of charged phospholipid membranes, 667
Duck erythrocytes, response to hypertonic media, further evidence for a volume-controlling mechanism, 396
—, response to nonhemolytic hypotonic media, evidence for a volume-controlling mechanism, 372

E

Electrolytes, non-, small, tracer determinations of human red cell membrane permeability to, 259
Electroreceptors, phasic, effects of divalent ions and drugs on synaptic transmission in mormyrid fish, 580
Epithelial, trans-, transport, effect of changes in, on uptake of sodium across outer surface of frog skin, 131
Equivalent circuit of frog atrial tissue as determined by voltage clamp-unclamp experiments, 511
Erythrocyte, human, effects of sulfhydryl and amino reactive reagents on anion and cation permeability of, 190
— membrane, human, permeability to small nonelectrolytes, tracer determinations of, 259
—, permeability of membranes to small hydrophilic and lipophilic solutes, 238
Erythrocytes, duck, response to hypertonic media, further evidence for a volume-controlling mechanism, 396
—, duck, response to nonhemolytic hypotonic media, evidence for a volume-controlling mechanism, 372
— of ground squirrels, temperature adaptation of active sodium-potassium transport and of passive permeability in, 634
—, resistance of, in hibernating mammals to loss of potassium during hibernation and during cold storage, 620
—, of sheep, high potassium and low potassium, active cation transport and ouabain binding in, 94
—, sheep, high potassium and low potassium, active sodium and potassium transport in, 438
Ethylenediaminetetraacetic acid, cardiac muscle with a high permeability to calcium produced by treatment with, 71
Excitation, dynamics of, and inhibition in light-adapted *Limulus* eye *in situ*, 1
— of space-clamped squid axons, effect of calcium, temperature, and polarizing currents upon alternating current, 304
—, uterine smooth muscle, calcium and sodium in, under current-clamp and voltage-clamp conditions, 322
Eye, *Limulus*, light-adapted, dynamics of excitation and inhibition in, *in situ*, 1
—, *Limulus* ventral, two light-induced processes in photoreceptor cells of, 544

F

Fenn, Wallace O., 1893–1971, precedes p. 483
Fibers, frog muscle, biphasic potassium contractures in, 117
—, isolated frog muscle, effect of low-level activation on mechanical properties of, 145
—, isolated muscle, of marine crab, water permeability of, 287
Fish, mormyrid, effects of divalent ions and drugs on synaptic transmission in phasic electroreceptors in, 580
Frog atrial muscle, two inward currents in, 523
— atrial tissue, equivalent circuit of, as determined by voltage clamp-unclamp experiments, 511
— muscle fibers, biphasic potassium contractures in, 117
— muscle fibers, isolated, effect of low-level activation on mechanical properties of, 145
— photoreceptor membranes, characterization and analysis, 225
— skin, effect of changes in transepithelial transport on uptake of sodium across outer surface of, 131
Frog's striated muscle, transient phases of isometric tetanus in, 20

G

Ground squirrels, temperature adaptation of active sodium-potassium transport and of passive permeability in erythrocytes of, 634
Gustatory cells in rat, conductance change

associated with receptor potentials of, 688

H

Hibernating mammals, resistance of erythrocytes to loss of potassium during hibernation and during cold storage, 620
Hibernation, resistance of erythrocytes of hibernating mammals to loss of potassium during, and during cold storage, 620
Hormones, steroid, and lipid monolayers, interaction between on water, 650
Hydrophilic and lipophilic solutes, small, permeability of red cell membranes to, 238
Hypertonic media, response of duck erythrocytes to, further evidence for a volume-controlling mechanism, 396
Hypotonic media, nonhemolytic, response of duck erythrocytes to, evidence for a volume-controlling mechanism, 372

I

Inhibition and dynamics of excitation in light-adapted *Limulus* eye *in situ*, 1

L

Light-induced processes, two, in photoreceptor cells of *Limulus* ventral eye, 544
Light-adapted *Limulus* eye, dynamics of excitation and inhibition in, *in situ*, 1
Limulus eye, light-adapted, dynamics of excitation and inhibition in, *in situ*, 1
— photoreceptor, stochastic model for discrete waves in, 267
— ventral eye, two light-induced processes in photoreceptor cells of, 544
Lipid monolayers, and steroid hormones, interaction between on water, 650
Lipophilic and hydrophilic solutes, small, permeability of red cell membranes to, 238

M

Mammals, hibernating, resistance of erythrocytes to loss of potassium during hibernation and during cold storage, 620
Man, red blood cell, effects of sulfhydryl and amino reactive reagents on anion and cation permeability of, 190
—, red cell membrane permeability to small nonelectrolytes, tracer determinations of, 259
Membrane, human red cell, permeability to small nonelectrolytes, tracer determinations of, 259
— potential and conductance of squid giant axons, effects of batrachotoxin on, 54
Membranes, charged phospholipid, divalent ions and surface potential of, 667
—,chemical modification of, effects of sulfhydryl and amino reactive reagents on anion and cation permeability of human red blood cell, 190
—, chemical modification of, permeation paths for sulfhydryl agents, 211
—, frog photoreceptor, characterization and analysis, 225
—, red cell, permeability of to small hydrophilic and lipophilic solutes, 238
Microsomes, rat submaxillary gland, adenosine triphosphate–dependent calcium uptake by, 340
Model, stochastic, for discrete waves in *Limulus* photoreceptor, 267
Monolayers, lipid, and steroid hormones, interaction between on water, 650
Mormyrid fish, effects of divalent ions and drugs on synaptic transmission in phasic electroreceptors in, 580
Muscle, cardiac, with high permeability to calcium produced by treatment with ethylenediaminetetraacetic acid, 71
— fibers, frog, biphasic potassium contractures in, 117
— fibers, isolated frog, effect of low-level activation on mechanical properties of, 145
— fibers, isolated, of marine crab, water permeability of, 287
—, frog atrial, two inward currents in, 523
—, frog's striated, transient phases of isometric tetanus in, 20
—, sheep cardiac, high potassium and low sodium contractures in, 483
—, skeletal, radial variation of potential in transverse tubular system of, 700
—, uterine smooth excitation, calcium and sodium in, under current-clamp and voltage-clamp conditions, 322
Myelinated nerve, permeability of sodium channel to organic cations in, 599

N

Nerve, myelinated, permeability of sodium channel to organic cations in, 599
Neuromuscular junctions in tissue culture, rat, physiological studies during formation and development of, 467

Neurons, snail, two fast transient current components during voltage clamp on, 36
Noctuid acoustic receptor, intensity characteristics of, 562
Nonhemolytic hypotonic media, response of duck erythrocytes to, evidence for a volume-controlling mechanism, 372

O

Ouabain binding and active cation transport in high potassium and low potassium red blood cells of sheep, 94

P

Permeability of human red blood cell, effects of sulfhydryl and amino reactive reagents on anion and cation, 190
—, human red cell membrane, to small nonelectrolytes, tracer determinations of, 259
—, passive, and active sodium-potassium transport in erythrocytes of ground squirrels, temperature adaptation of, 634
— of red cell membranes to small hydrophilic and lipophilic solutes, 238
— of sodium channel to organic cations in myelinated nerve, 599
—, water, of isolated muscle fibers of marine crab, 287
Permeation paths for sulfhydryl agents, chemical modification of membranes, 211
Phasic electroreceptors, effects of divalent ions and drugs on synaptic transmission in mormyrid fish, 580
Phosphate, tri-, adenosine–dependent calcium uptake by rat submaxillary gland microsomes, 340
Phospholipid membranes, charged, divalent ions and surface potential of, 667
Photoreceptor cells, two light-induced processes in, of *Limulus* ventral eye, 544
—, *Limulus*, stochastic model for discrete waves in, 267
— membranes, frog, characterization and analysis, 225
Porphyropsin and rhodopsin fields in adult bullfrog retina, 351
Potassium channels of giant axons, interaction of tetraethylammonium ion derivatives with, 413
— contractures, biphasic, in frog muscle fibers, 117
—, high and low red blood cells of sheep, active cation transport and ouabain binding in, 94
Potassium, high, and low sodium contractures in sheep cardiac muscle, 483
—, loss of, resistance of erythrocytes of hibernating mammals to, during hibernation and during cold storage, 620
— and sodium transport, active, in high potassium and low potassium sheep red cells, 438
— sodium transport, active, and passive permeability in erythrocytes of ground squirrels, temperature adaptation of, 634

R

Red blood cells. *See* Erythrocytes.
Resistance of erythrocytes of hibernating mammals to loss of potassium during hibernation and during cold storage, 620
Retina, adult bullfrog, rhodopsin and porphyropsin fields in, 351
—, skate, S-potentials in, intracellular recordings during light and dark adaptation, 163
Rhodopsin and porphyropsin fields in adult bullfrog retina, 351

S

Sheep cardiac muscle, high potassium and low sodium contractures in, 483
—, red blood cells of, high potassium and low potassium, active cation transport and ouabain binding in, 94
— red cells, high potassium and low potassium, active sodium and potassium transport in, 438
Skate retina, S-potentials in, intracellular recordings during light and dark adaptation, 163
Skeletal muscle, radial variation of potential in transverse tubular system of, 700
Skin, frog, effect of changes in transepithelial transport on uptake of sodium across outer surface of, 131
Snail neurons, two fast transient current components during voltage clamp on, 36
Sodium and calcium in uterine smooth muscle excitation under current-clamp and voltage-clamp conditions, 322
— channel, permeability of, to organic cations in myelinated nerve, 599
—, low, and high potassium contractures in sheep cardiac muscle, 483

Sodium and potassium transport, active, in high potassium and low potassium sheep red cells, 438
— potassium transport, active, and passive permeability in erythrocytes of ground squirrels, temperature adaptation of, 634
—, uptake of, effect of changes in transepithelial transport on across outer surface of frog skin, 131
Space-clamped squid axons, effects of calcium, temperature, and polarizing currents upon alternating current excitation of, 304
Squid axons, space-clamped, effect of calcium, temperature, and polarizing currents upon alternating current excitation of, 304
— giant axons, effects of batrachotoxin on membrane potential and conductance of, 54
Squirrels, ground, temperature adaptation of active sodium-potassium transport and of passive permeability in erythrocytes of, 634
Steroid hormones, and lipid monolayers, interaction between on water, 650
Stochastic model for discrete waves in *Limulus* photoreceptor, 267
Submaxillary gland microsomes, rat, adenosine triphosphate–dependent calcium uptake by, 340
Sulfhydryl agents, permeation paths for, chemical modification of membranes, 211
— and amino reactive reagents, effects on anion and cation permeability of human red blood cell, 190
Synaptic transmission, effects of divalent ions and drugs on, in phasic electroreceptors in mormyrid fish, 580

T

Tetanus, isometric, transient phases in frog's striated muscle, 20
Tetraethylammonium ion derivatives, interaction with potassium channels of giant axons, 413
Tissue culture, physiological studies during formation and development of rat neuromuscular junctions in, 467
—, frog atrial, equivalent circuit of, as determined by voltage clamp-unclamp experiments, 511
Transmission, synaptic, effects of divalent ions and drugs on, in phasic electroreceptors in mormyrid fish, 580
Triphosphate, adenosine–dependent calcium uptake by rat submaxillary gland microsomes, 304
Tubular system, transverse, of skeletal muscle, radial variation of potential in, 700

U

Uterine smooth muscle excitation, calcium and sodium in under current-clamp and voltage-clamp conditions, 322

V

Variation, radial, of potential in transverse tubular system of skeletal muscle, 700
Voltage-clamp and current-clamp conditions, calcium and sodium in uterine smooth muscle excitation under, 322
— on snail neurons, two fast transient current components during, 36
— unclamp experiments, equivalent circuit of frog atrial tissue as determined by, 511
Volume-controlling mechanism, evidence for, response of duck erythrocytes to nonhemolytic hypotonic media, 372
— mechanism, further evidence for, response of duck erythrocytes to hypertonic media, 396

W

Water, interaction between steroid hormones and lipid monolayers on, 650
— permeability of isolated muscle fibers of marine crab, 287
Waves, discrete, stochastic model for in *Limulus* photoreceptor, 267

THE JOURNAL OF GENERAL PHYSIOLOGY

FOUNDED BY JACQUES LOEB

Honorary Editors

L. R. BLINKS
DETLEV W. BRONK
WALLACE O. FENN†
ALFRED E. MIRSKY
JOHN H. NORTHROP

Editor

PAUL F. CRANEFIELD

Editorial Board

BERNARD C. ABBOTT
VINCENT ALLFREY
FRANCIS D. CARLSON
C. M. CONNELLY
ROY P. FORSTER
PAUL HOROWICZ
T. HOSHIKO
WILLIAM P. HURLBUT
DAVID MAUZERALL
L. J. MULLINS
FLOYD RATLIFF
ASER ROTHSTEIN
STANLEY G. SCHULTZ
A. K. SOLOMON
D. C. TOSTESON
ANNEMARIE WEBER
VICTOR J. WILSON

VOLUME 58 · THE JOURNAL OF GENERAL PHYSIOLOGY IS THE OFFICIAL ORGAN OF THE SOCIETY OF GENERAL PHYSIOLOGISTS AND IS EDITED IN COOPERATION WITH THE SOCIETY

DIANA C. BOSSE *Copyediting and Production*

THE ROCKEFELLER UNIVERSITY PRESS · NEW YORK 1971

† *Deceased 20 September 1971.*

COPYRIGHT © 1971 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS OF VOLUME 58

NUMBER 1, JULY, 1971

1 MARGUERITE BIEDERMAN-THORSON and JOHN THORSON. Dynamics of excitation and inhibition in the light-adapted *Limulus* eye *in situ*

20 JAY E. MITTENTHAL and FRANCIS D. CARLSON. Transient phases of the isometric tetanus in frog's striated muscle

36 ERWIN NEHER. Two fast transient current components during voltage clamp on snail neurons

54 TOSHIO NARAHASHI, EDSON X. ALBUQUERQUE, and TAKEHIKO DEGUCHI. Effects of batrachotoxin on membrane potential and conductance of squid giant axons

71 SAUL WINEGRAD. Studies of cardiac muscle with a high permeability to calcium produced by treatment with ethylenediaminetetraacetic acid

94 PHILIP B. DUNHAM and JOSEPH F. HOFFMAN. Active cation transport and ouabain binding in high potassium and low potassium red blood cells of sheep

NUMBER 2, AUGUST, 1971

117 L. L. COSTANTIN. Biphasic potassium contractures in frog muscle fibers

131 THOMAS U. L. BIBER. Effect of changes in transepithelial transport on the uptake of sodium across the outer surface of the frog skin

145 J. LÄNNERGREN. The effect of low-level activation on the mechanical properties of isolated frog muscle fibers

163 JOHN E. DOWLING and HARRIS RIPPS. S-potentials in the skate retina. Intracellular recordings during light and dark adaptation

190 PHILIP A. KNAUF and ASER ROTHSTEIN. Chemical modification of membranes. I. Effects of sulfhydryl and amino reactive reagents on anion and cation permeability of the human red blood cell

211 PHILIP A. KNAUF and ASER ROTHSTEIN. Chemical modification of membranes. II. Permeation paths for sulfhydryl agents

NUMBER 3, SEPTEMBER 1971

225 DERIC BOWNDS, ANN GORDON-WALKER, ANNE-CLAUDE GAIDE-HUGUENIN, and WILLIAM ROBINSON. Characterization and analysis of frog photoreceptor membranes

238 R. I. SHA'AFI, C. M. GARY-BOBO, and A. K. SOLOMON. Permeability of red cell membranes to small hydrophilic and lipophilic solutes

259 DAVID SAVITZ and A. K. SOLOMON. Tracer determinations of human red cell membrane permeability to small nonelectrolytes

267 RICHARD SREBRO and MAHMOOD BEHBEHANI. A stochastic model for discrete waves in the *Limulus* photoreceptor

287 A. L. SORENSON. Water permeability of isolated muscle fibers of a marine crab

304 RITA GUTTMAN and LON HACHMEISTER. Effect of calcium, temperature, and polarizing currents upon alternating current excitation of space-clamped squid axons

322 NELS C. ANDERSON, FIDEL RAMON, and ANN SNYDER. Studies on calcium and sodium in uterine smooth muscle excitation under current-clamp and voltage-clamp conditions

340 G. L. ALONSO, P. M. BAZERQUE, D. M. ARRIGÓ, and O. R. TUMILASCI. Adenosine triphosphate–dependent calcium uptake by rat submaxillary gland microsomes

NUMBER 4, OCTOBER, 1971

351 TOM E. REUTER, RICHARD H. WHITE, and GEORGE WALD. Rhodopsin and porphyropsin fields in the adult bullfrog retina

372 FLOYD M. KREGENOW. The response of duck erythrocytes to nonhemolytic hypotonic media. Evidence for a volume-controlling mechanism

396 FLOYD M. KREGENOW. The response of duck erythrocytes to hypertonic media. Further evidence for a volume-controlling mechanism

413 CLAY M. ARMSTRONG. Interaction of tetraethylammonium ion derivatives with the potassium channels of giant axons

438 P. G. HOFFMAN and D. C. TOSTESON. Active sodium and potassium transport in high potassium and low potassium sheep red cells

467 NORMAN ROBBINS and TAKESHI YONEZAWA. Physiological studies during formation and development of rat neuromuscular junctions in tissue culture

NUMBER 5, NOVEMBER, 1971

WALLACE O. FENN, 1893–1971

483 W. R. GIBBONS and H. A. FOZZARD. High potassium and low sodium contractures in sheep cardiac muscle

511 MERRILL TARR and JOHN TRANK. Equivant circuit of frog atrial tissue as determined by voltage clamp-unclamp experiments

523 MERRILL TARR. Two inward currents in frog atrial muscle

544 J. E. LISMAN and J. E. BROWN. Two light-induced processes in the photoreceptor cells of *Limulus* ventral eye

562 WILLIAM B. ADAMS. Intensity characteristics of the noctuid acoustic receptor

580 A. B. STEINBACH and M. V. L. BENNETT. Effects of divalent ions and drugs on synaptic transmission in phasic electroreceptors in a mormyrid fish

NUMBER 6, DECEMBER, 1971

599 BERTIL HILLE. The permeability of the sodium channel to organic cations in myelinated nerve

620 S. L. KIMZEY and J. S. WILLIS. Resistance of erythrocytes of hibernating mammals to loss of potassium during hibernation and during cold storage

634 S. L. KIMZEY and J. S. WILLIS. Temperature adaptation of active sodium-potassium transport and of passive permeability in erythrocytes of ground squirrels

650 N. L. GERSHFELD and M. MURAMATSU. The interaction between steroid hormones and lipid monolayers on water

667 S. G. A. MCLAUGHLIN, G. SZABO, and G. EISENMAN. Divalent ions and the surface potential of charged phospholipid membranes

688 MASAHIRO OZEKI. Conductance change associated with receptor potentials of gustatory cells in rat

700 LETTER TO THE EDITOR

R. S. EISENBERG and L. L. COSTANTIN. The radial variation of potential in the transverse tubular system of skeletal muscle

705 ABSTRACTS OF PAPERS PRESENTED AT THE TWENTY-FIFTH ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS

714 INDEX TO VOLUME 58